

On the efficient representation of isogenies

2024/06/24 – NuTMiC, Szczecin

Damien Robert

Canari, Inria Bordeaux Sud-Ouest

<http://www.normalesup.org/~robert/>



université
de **BORDEAUX**

Inria

Isogenies

- Elliptic curve: $E/k : y^2 = x^3 + ax + b$. Algebraic group law!
- Isogeny: $\phi : E_1 \rightarrow E_2$ with $\phi(0_{E_1}) = 0_{E_2}$
- $\phi(P + Q) = \phi(P) + \phi(Q)$

$$\phi(x, y) = \left(\frac{g(x)}{h(x)}, cy \left(\frac{g(x)}{h(x)} \right)' \right)$$


Isogeny based cryptography:

- Computing an isogeny $\phi : E_1 \rightarrow E_2$: **Easy!**
 - Given (E_1, E_2) , find an isogeny path $\phi : E_1 \rightarrow E_2$: **Hard!** (Even for quantum computers!)
- ⇒ Post quantum cryptosystems

Isogenies

$$E_1 : y^2 = x^3 + a_1x + b_1$$

$$E_2 : y^2 = x^3 + a_2x + b_2$$



Isogeny paths

Ordinary/Oriented curves:

- 😊 Commutative group action from the class group of R
 $R \subset \text{End}(E)$ primitive orientation by a quadratic imaginary order on E
- 😞 Quantum subexponential $L(1/2)$ algorithm [Kuperberg 2003]
 - Examples: CRS [Couveignes 1997; Rostovtsev, Stolbunov 2006], CSIDH [CLMPR 2018], SCALLOP [DFKLMPW 2023], ...

Supersingular curves:

- Isogeny graph has good mixing properties
- Best algorithm is essentially exhaustive search (meet in the middle)
- 😊 Quantum exponential time
- 😞 No commutative group action
 - Examples: CGL hash function [CGL 2009], SIDH [DJP 2011], SQISign [DKLPW 2020], ...

Isogeny representations

- $\phi/\mathbb{F}_q : E_1 \rightarrow E_2$ isogeny of degree n (n -isogeny)
- “Evaluating an isogeny is **easy**”
- Really? Depends on the **representation**!

- Kernel representation: $K = \text{Ker } \phi$
- Generator(s) representation: $K = \langle T \rangle = \langle T_1, \dots, T_m \rangle$
- Ideal representation: $I \leftrightarrow \phi_I$
- Interpolation representation, Deformation representation, Modular representation... See survey!

- Compact representation: polynomial space in $\log n, \log q$
- Efficient representation: evaluation in polynomial time in $\log n, \log q$

- Previously: only isogenies of **smooth** degrees had an **efficient** representation
- SIDH attacks (2022): every isogeny has an **efficient** HD representation!
- This talk: **the HD representation** and **algorithms** to manipulate it

Kernel representation

- $K = \text{Ker } \phi$
- $K : h(x) = 0, h(x) = \prod_{P \in K - 0_E} (x - x(P))$

If $E : y^2 = f(x)$, [Kohel 1996]:

$$\phi(x, y) = \left(\frac{g(x)}{h(x)}, y \left(\frac{g(x)}{h(x)} \right)' \right)$$
$$\frac{g(x)}{h(x)} = \#K.x - \sigma - f'(x) \frac{h'(x)}{h(x)} - 2f(x) \left(\frac{h'(x)}{h(x)} \right)'$$

- Space: $O(n \log q) = \text{linear space}$
- Evaluation: $O(n)$ arithmetic operations in $\mathbb{F}_q = \text{linear time}$

Generator representation

- $K = \langle T \rangle$, K defined over \mathbb{F}_q , T defined over \mathbb{F}_{q^d} , $d = O(n)$, [Vélu 1971]:

$$x(f(P)) = x(P) + \sum_{i=1}^{n-1} (x(P + iT) - x(iT))$$
$$y(f(P)) = y(P) + \sum_{i=1}^{n-1} (y(P + iT) - y(iT))$$

- Space: $O(d \log q)$
If $d = 1$ (or small): compact representation!
- Evaluation: $O(n)$ operations over $\mathbb{F}_{q^d} \Rightarrow$ linear if d small, quadratic if d large
- $\sqrt{\text{élu}}$ [Bernstein, De Feo, Leroux, Smith 2020]: evaluation in $\widetilde{O}(\sqrt{n})$ over \mathbb{F}_{q^d}
(via a time/memory trade off)

Decomposed representation


- $n = \prod_{i=1}^m \ell_i$, $\phi = \phi_m \circ \dots \circ \phi_2 \circ \phi_1$, ϕ_i a ℓ_i -isogeny;
- Decomposed representation: complexity for evaluation depends on $\ell_n := \max(\ell_i)$
- Space: $O(m\ell_n \log q)$
- Evaluation: $O(m\ell_n \log q)$
- If n is smooth: compact and efficient!

Decomposing a smooth degree isogeny

- $\phi : E_1 \rightarrow E_2, K = \text{Ker } \phi = \langle T \rangle$ of degree $n = 2^m, T \in \mathbb{F}_{q^d}$
- $\phi = \phi'_1 \circ \phi_1$
- $\phi_1 : E_1 \rightarrow E'_1$ of degree 2 with kernel $K_1 = \langle 2^{m-1}T \rangle$
- $\phi'_1 : E'_1 \rightarrow E_2$ of degree 2^{m-1} with kernel $K = \langle \phi_1(T) \rangle$

- Complexity: $O(m^2)$ arithmetic operations in \mathbb{F}_{q^d}

- [De Feo, Jao, Plût 2011]: $\tilde{O}(m)$ operations in \mathbb{F}_{q^d}

 d can be large, $d = \Theta(n)$ in the worst case \Rightarrow quasi-linear time

- $n = \prod_{i=1}^m \ell_i^{e_i}$
- CRT representation: $K = \prod_{i=1}^m K[\ell_i^{e_i}] = \langle G_1, \dots, G_m \rangle, G_i \in \mathbb{F}_{q^{d_i}}, d = \max(d_i)$
- Compact representation if the n -torsion is accessible
- Decomposition cost: $\tilde{O}(m(\sum e_i)d\ell_n \log q)$;
- Efficient if n is smooth (ℓ_n small) and the n -torsion is accessible (d small)
- Example: n powersmooth

Ideal representations

- I ideal in $R \subset \text{End}(E) \Rightarrow \phi_I$ isogeny with kernel $E[I]$.
- Supersingular case: **Deuring's correspondance**
 E/\mathbb{F}_{p^2} supersingular curve, $R = \text{End}(E)$ quaternion order
- KLPT: **smoothing** algorithm $I \sim J, N(J)$ smooth
- Oriented case: $R \subset \text{End}(E)$ imaginary quadratic order
- Example: **Frobenius orientation**. Ordinary curves, E/\mathbb{F}_p supersingular
- ☹ **Smoothing** of ideals: subexponential in Δ_R
- ☹ **Restricted class group action**

Summary

- Kernel representation: linear space and time
 - Generator representation: possibly compact, linear or quadratic time
 - If n smooth: decomposed representation = logarithmic space and time
 - Decomposition cost given a CRT representation $K = \langle G_1, \dots, G_m \rangle$: polynomial time in $d = \max(d_i)$ and $\ell_n = \max(\ell \mid n)$
- ⇒ Efficient if n smooth and the n -torsion is accessible
- What if n is a large prime?
 - No way to represent ϕ efficiently

Summary

- Kernel representation: linear space and time
 - Generator representation: possibly compact, linear or quadratic time
 - If n smooth: decomposed representation = logarithmic space and time
 - Decomposition cost given a CRT representation $K = \langle G_1, \dots, G_m \rangle$: polynomial time in $d = \max(d_i)$ and $\ell_n = \max(\ell \mid n)$
- ⇒ Efficient if n smooth and the n -torsion is accessible
- What if n is a large prime?
 - No way to represent ϕ efficiently

Scalar multiplication

- Scalar multiplication: $[n] : P \mapsto n \cdot P$ is an n^2 -isogeny
- Double and add: $O(\log n)$ arithmetic operations, even if n is prime!
- $\Phi : E^2 \rightarrow E^2, (P_1, P_2) \mapsto (P_1 + P_2, P_1 - P_2)$ is a 2-isogeny in dimension 2.
- $\Phi = \begin{pmatrix} 1 & 1 \\ -1 & 1 \end{pmatrix}$
- Double: $\Phi(T, T) = (2T, 0)$.
- Add: $\Phi(T, P) = (T + P, T - P)$.
- We can evaluate $n \cdot P$ as a composition of $O(\log n)$ evaluations of Φ , projections $E^2 \rightarrow E$ and embeddings $E \rightarrow E^2$.
- Double and add on $E = 2$ -isogenies in dimension 2

The embedding lemma [R. 2022]

- For any $N \geq n$, an n -isogeny $\phi : E_1 \rightarrow E_2$ in dimension 1 can always be efficiently embedded into a N -isogeny $\Phi : A_1 \rightarrow A_2$ in dimension 8 (and sometimes 4, 2)

$$\begin{array}{ccc} E_1 & \xrightarrow{\phi} & E_2 \\ \downarrow & & \uparrow \\ A_1 & \xrightarrow{\Phi} & A_2 \end{array}$$

- Considerable flexibility (at the cost of going up in dimension).
- Breaks SIDH ([Castrick-Decru 2022], [Maino-Martindale 2022] in dimension 2, [R. 2022] in dimension 4 or 8)
- Kani's lemma [1997] + Zarhin's trick [1974]: write $N - n = a_1^2 + a_2^2 + a_3^2 + a_4^2$ and

$$\Phi = \begin{pmatrix} a_1 & -a_2 & -a_3 & -a_4 & \widehat{\phi} & 0 & 0 & 0 \\ a_2 & a_1 & a_4 & -a_3 & 0 & \widehat{\phi} & 0 & 0 \\ a_3 & -a_4 & a_1 & a_2 & 0 & 0 & \widehat{\phi} & 0 \\ a_4 & a_3 & -a_2 & a_1 & 0 & 0 & 0 & \widehat{\phi} \\ -\phi & 0 & 0 & 0 & a_1 & a_2 & a_3 & a_4 \\ 0 & -\phi & 0 & 0 & -a_2 & a_1 & -a_4 & a_3 \\ 0 & 0 & -\phi & 0 & -a_3 & a_4 & a_1 & a_2 \\ 0 & 0 & 0 & -\phi & -a_4 & -a_3 & a_2 & a_1 \end{pmatrix}$$

Algorithms for N -isogenies in higher dimension

- Analogues of Vélu's formula: [Cosset, R. (2014); Lubicz, R. (2012–2022)]
An N -isogeny in dimension g can be evaluated in linear time $O(N^g)$ arithmetic operations in the theta model given generators of its kernel.
- 😊 Work in any dimension
- 😞 Exponential dependency 2^g in the dimension g .
- 😞 Need a rational level $\Gamma(2, 4)$ -structure (automatic for supersingular curves over \mathbb{F}_{p^2})
- Algorithm in $O(N^g)$ in the Jacobian model: [Couveignes, Ezome (2015)]
- 😊 Rational model
- 😞 Restricted to $g \leq 3$

Cost of a 2^m -isogeny in dimension g :

g	1	2	4	8
Relative cost	$\times 1$	$\times 4$	$\times 32$	$\times 1024$

Dedicated fast formulas in higher dimension

Dimension 2:

- Fast 2^m -isogenies in the Mumford Jacobian or Kummer model [Kunzweiler 2022] and in the theta model [Dartois, Maino, Pope, R. 2023]

$\log p$	m	Codomain			Evaluation		
		Theta Rust	Theta SageMath	Richelot SageMath	Theta Rust	Theta SageMath	Richelot SageMath
254	126	2.13 ms	108 ms	1028 ms	161 μ s	5.43 ms	114 ms
381	208	9.05 ms	201 ms	1998 ms	411 μ s	8.68 ms	208 ms
1293	632	463 ms	1225 ms	12840 ms	17.8 ms	40.8 ms	1203 ms

- Fast 3^m -isogenies in the Mumford Jacobian model [Decru, Kunzweiler 2023] and in the theta model [Corte-Real Santos, Costello, Smith 2024]

Dimension 4:

- Fast 2^m -isogenies in the theta model [Dartois 2024]

The HD representation

- Embed $\phi : E_1 \rightarrow E_2$ into an N -isogeny Φ in dimension g
- Represent Φ by its kernel $\text{Ker } \Phi$:
 $\text{Ker } \Phi$ is completely determined by n and the action of ϕ on $E_1[N]$
- CRT basis: $N = \prod_{i=1}^m N_i = \prod_{i=1}^m \ell_i^{e_i}$,
 $(P_i, Q_i, \phi(P_i), \phi(Q_i)), \quad \text{for } (P_i, Q_i) \text{ a basis of } E[\ell_i^{e_i}]$
- Naive algorithm: reconstruct ϕ in $\tilde{O}(n)$ via rational function interpolation
- HD approach: exploit the N -torsion structure by going to Φ in higher dimension
- Compact representation if the N -torsion is accessible
- Decomposing Φ : efficient if N is smooth and the N -torsion is accessible
- Evaluating the decomposed Φ : efficient if N is smooth
- Can take any $N \geq n$ (Example: N powersmooth)
- Ideal scenario: E_1 has rational $N = 2^m$ -torsion and Φ in dimension 2
- Universal: can be efficiently recovered from any other efficient isogeny representation of ϕ
- Philosophy: if we know how ϕ act on sufficiently many nice points, we can efficiently compute $\phi(P)$ for any point P

Application: divisions [R. 2022]

- Is an isogeny $\phi : E_1 \rightarrow E_2$ **divisible** by $[\ell]$?
- Prior art: test if $\phi(E[\ell]) = 0$
- Division polynomial ψ_ℓ : degree $O(\ell^2) \Rightarrow$ exponential time
- HD division algorithm [R. 2022]:
- Given an HD representation $(P_i, Q_i, \phi(P_i), \phi(Q_i))$ with $N_i \wedge \ell = 1$,

$$(P_i, Q_i, \frac{\phi(P_i)}{\ell}, \frac{\phi(Q_i)}{\ell})$$

is an HD representation of ϕ/ℓ if it exists

\Rightarrow polynomial time (in $\log \ell$) division algorithm

Corollary (Computing the endomorphism ring of ordinary elliptic curves)

If E/\mathbb{F}_q is an ordinary elliptic curve; point counting gives χ_π , hence $K := \mathbb{Q}(\pi_q)$, and we know $\mathbb{Z}[\pi] \subset \text{End}(E) \subset O_K$. Given the **factorisation** of the conductor $[O_K : \mathbb{Z}[\pi]]$ of $\mathbb{Z}[\pi]$, we can determine $\text{End}(E)$ in **polynomial time**, via efficient divisions.

- **Factorisation**: quantum polynomial time, classical subexponential time
- Previously: no quantum polynomial time algorithm known
Classical algorithm in $L(1/2)$ under GRH [Bisson–Sutherland 2009]

Algorithms for the HD representation

$\phi/\mathbb{F}_q : E_1 \rightarrow E_2$ an n -isogeny with an efficient representation

- **Equality testing, Validity**
- **Composition and addition:** $\phi_2 \circ \phi_1, \phi_1 + \phi_2$
- **Dual isogeny:** $\tilde{\phi} : E_2 \rightarrow E_1$
- **Divisions:** Test if $\phi \stackrel{?}{=} \psi' \circ \psi$ is divisible by ψ , and if so return the HD representation of ψ'
- **Lifts and deformations:** deform ϕ to $\tilde{\phi}/R : \tilde{E}_1 \rightarrow \tilde{E}_2$ over $R = \mathbb{F}_q[\varepsilon]/\varepsilon^m$ or $R = \mathbb{Z}_q/p^m\mathbb{Z}_q$
- **Splittings:** If $n = n_1 n_2, n_1 \wedge n_2 = 1$, split ϕ as $\phi = \phi_2 \circ \phi_1$

$$\phi : E_1 \xrightarrow{\phi_1} E_{12} \xrightarrow{\phi_2} E_2$$

- **Pushforwards:** compute the pushforward of ϕ_1 and ϕ_2 if they are of coprime degrees

$$\begin{array}{ccc} E_0 & \xrightarrow{\phi_1} & E_1 \\ \downarrow \phi_2 & & \downarrow \phi'_2 \\ E_1 & \xrightarrow{\phi'_1} & E_{12} \end{array}$$

- **Kernel:** return an equation for $\text{Ker } \phi$ in $\tilde{\mathcal{O}}(n)$

Cryptographic applications

- **New protocols** in isogeny based cryptography: SQIsignHD [DLRW24], FESTA [BMP23] and QFESTA [NO23], the Deuring VRF [Ler23b], SCALLOP-HD [CLP24] (efficient representation of orientations), IS-CUBE [Mor23], LIT-SiGamal [Mor24], SILBE [DFV24], POKE [Bas24], SQIsign2d (West and East) [BDD+24; NO24], SQIPrime [DF24]...
- **New or improved security reductions** in isogeny based cryptography, [MW23; ACD+23; PW24; ES24] and in classical elliptic curve cryptography [Gal24]
- **New methods** to convert ideals into isogenies [Ler23a; NO23; PR23; ON24; BDD+24]

Examples:

- **Clapoti(s)** [Page, R. 2023]: computing the class group action for an arbitrary orientation R in polynomial time
- No smoothening needed
- **Unrestricted effective group action!**
- **SQIsignHD, SQIsign2d-West**: bypass KLPT's smoothening algorithm for supersingular curves too
- KLPT: $\phi_f : E_1 \rightarrow E_2$, smoothened isogeny of degree $O(p^{4.5})$ (or $O(p^3)$ if E_1 is nice)
- HD representation: can use the smallest isogeny $\phi_f : E_1 \rightarrow E_2$ of degree $O(\sqrt{p})$ even if it is not smooth!

SQLSign2d (West)

	SQLsign	SQLsign2d
Public key	66B	66B
Signatures	177B	148B
Clean security proof	☹️	😊
Keygen (Mcycles)	400	60
Sign (Mcycles)	1880	160
Verify (Mcycles)	29	9

- **SQLsign2D**: signature and verification in dimension 2

- **SQLsignHD**: signature in dimension 1, verification in dimension 4

New faster variant compared to the Eurocrypt 2024 version using techniques from SQLsign2d: signatures now use dimension 2 too.

Bonus: same public key as in SQLsign2d!

- Signature size: 109B
- Signature $\approx 5\times$ faster than SQLsign2d
- Verification expected $\approx 8\times$ slower

Number theoretic applications

- Computing the **saturation** of a quadratic order R in $\text{End}(E)$
- Compute the **canonical lift** \hat{E}/\mathbb{Z}_q of an ordinary elliptic curve in **polynomial time** [R. 2022]
Previously: $L(1/2)$ under GRH [Couveignes–Henocq 2002]
- Compute the **modular polynomial** Φ_ℓ by deformation [Kunzweiler, R. 2024]

Point counting for E/\mathbb{F}_q , $q = p^n$

- [Schoof 1985]: $\tilde{O}(n^5 \log^5 p)$ (Étale cohomology)
- [SEA 1992]: $\tilde{O}(n^4 \log^4 p)$ (Heuristic)
- [Kedlaya 2001]: $\tilde{O}(n^3 p)$ (Rigid cohomology)
- [Harvey 2007]: $\tilde{O}(n^{3.5} p^{1/2} + n^5 \log p)$
- [Sato 2000] (canonical lifts of ordinary curves): $\tilde{O}(n^2 p^2)$ (Crystalline cohomology)
- [Maiga – R. 2021]: $\tilde{O}(n^2 p)$
- [R. 2022]: $\tilde{O}(n^2 \log^8 p + n \log^{11} p)$

Use an HD representation of the Verschiebung $\pi_{\hat{E},p}$ and canonical lifts

Efficient representation of isogenies

Past:

- Restricted to smooth degree isogenies
- Vélu's / $\sqrt{\text{élu}}$ formulas
- Ideal smoothening

Present:

- The **HD representation**: recent powerful tool with many applications in isogeny based cryptography and algorithmic number theory
- Use **abelian varieties** to speed up algorithms on elliptic curves
- Excellent **overview** in Castryck's invited talk at Eurocrypt 2024: "An attack became a tool: Isogeny based cryptography 2.0"
- Full details in the **survey paper**:

http://www.normalesup.org/~robert/pro/publications/articles/isogeny_survey.pdf

Future?

- Switch from **ideals** equivalences of categories to **modules** equivalences of categories
 - ▶ Handles the higher dimensional isogeny graphs of E^g
 - ▶ Handles level structures
 - ▶ Go beyond Kani's lemma
- Use cyclic isogenies?

Bibliography

- [ACD+23] S. Arpin, J. Clements, P. Dartois, J. K. Eriksen, P. Kutas, and B. Wesolowski. “Finding orientations of supersingular elliptic curves and quaternion orders”. In: [arXiv preprint arXiv:2308.11539](#) (2023) (cit. on p. 20).
- [Bas24] A. Basso. “POKE: A Framework for Efficient PKEs, Split KEMs, and OPRFs from Higher-dimensional Isogenies”. In: [Cryptography ePrint Archive](#) (2024) (cit. on p. 20).
- [BDD+24] A. Basso, L. De Feo, P. Dartois, A. Leroux, L. Maino, G. Pope, D. Robert, and B. Wesolowski. “SQLsign2D-West: The Fast, the Small, and the Safer”. In: [Advances in Cryptology – ASIACRYPT 2024, Part III](#). Vol. 15486, Lecture Notes in Computer Science. Springer Nature Switzerland, Dec. 2024, pp. 339–370. doi: [10.1007/978-981-96-0891-1_11](#) (cit. on p. 20).
- [BMP23] A. Basso, L. Maino, and G. Pope. “FESTA: fast encryption from supersingular torsion attacks”. In: [International Conference on the Theory and Application of Cryptology and Information Security](#). Springer. 2023, pp. 98–126 (cit. on p. 20).
- [CLP24] M. Chen, A. Leroux, and L. Panny. “SCALLOP-HD: group action from 2-dimensional isogenies”. In: [IACR International Conference on Public-Key Cryptography](#). Springer. 2024, pp. 190–216 (cit. on p. 20).
- [DLRW24] P. Dartois, A. Leroux, D. Robert, and B. Wesolowski. “SQLSignHD: New Dimensions in Cryptography”. In: [Lecture Notes in Computer Science 14651](#) (May 2024). Ed. by M. Joye and G. Leander, pp. 3–32. doi: [10.1007/978-3-031-58716-0_1](#) (cit. on p. 20).

- [DF24] M. Duparc and T. B. Fouotsa. “SQIPrime: A dimension 2 variant of SQISignHD with non-smooth challenge isogenies”. In: Cryptology ePrint Archive (2024) (cit. on p. 20).
- [DFV24] M. Duparc, T. B. Fouotsa, and S. Vaudenay. “Silbe: an updatable public key encryption scheme from lollipop attacks”. In: Cryptology ePrint Archive (2024) (cit. on p. 20).
- [ES24] K. Eisentraeger and G. Scullard. “Connecting Kani’s Lemma and path-finding in the Bruhat-Tits tree to compute supersingular endomorphism rings”. In: (2024). arXiv: [2402.05059](https://arxiv.org/abs/2402.05059) (cit. on p. 20).
- [Gal24] S. Galbraith. Climbing and descending tall volcanos. Cryptology ePrint Archive, Paper 2024/924. 2024. url: <https://eprint.iacr.org/2024/924> (cit. on p. 20).
- [Ler23a] A. Leroux. “Computation of Hilbert class polynomials and modular polynomials from supersingular elliptic curves”. In: Cryptology ePrint Archive (2023) (cit. on p. 20).
- [Ler23b] A. Leroux. “Verifiable random function from the Deuring correspondence and higher dimensional isogenies”. In: (2023) (cit. on p. 20).
- [MW23] A. H. L. Merdy and B. Wesolowski. “The supersingular endomorphism ring problem given one endomorphism”. In: arXiv preprint arXiv:2309.11912 (2023) (cit. on p. 20).
- [Mor23] T. Moriya. “IS-CUBE: An isogeny-based compact KEM using a boxed SIDH diagram”. In: Cryptology ePrint Archive (2023) (cit. on p. 20).
- [Mor24] T. Moriya. “LIT-SiGamal: An efficient isogeny-based PKE based on a LIT diagram”. In: Cryptology ePrint Archive (2024) (cit. on p. 20).
- [NO23] K. Nakagawa and H. Onuki. “QFESTA: Efficient Algorithms and Parameters for FESTA using Quaternion Algebras”. In: Cryptology ePrint Archive (2023) (cit. on p. 20).

- [NO24] K. Nakagawa and H. Onuki. "SQIsign2D-East: A New Signature Scheme Using 2-dimensional Isogenies". In: [Cryptology ePrint Archive](#) (2024) (cit. on p. 20).
- [ON24] H. Onuki and K. Nakagawa. "Ideal-to-isogeny algorithm using 2-dimensional isogenies and its application to SQIsign". In: [Cryptology ePrint Archive](#) (2024) (cit. on p. 20).
- [PR23] A. Page and D. Robert. "Introducing Clapoti(s): Evaluating the isogeny class group action in polynomial time". Nov. 2023 (cit. on p. 20).
- [PW24] A. Page and B. Wesolowski. "The supersingular endomorphism ring and one endomorphism problems are equivalent". In: [Annual International Conference on the Theory and Applications of Cryptographic Techniques](#) Springer. 2024, pp. 388–417 (cit. on p. 20).